Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it contains a valid OMB control number.

## INFORMATION DISCLOSURE STATEMENT BY APPLICANTS

Application Number	10/804,604
Filing Date	March 18, 2004
First Named Inventor	Paul L. Miller
Art Unit	3735
Examiner Name	John P. Lacyk
Attorney Docket Number	787/012 Cont. 2
Confirmation Number	9549

(Use as many sheets as necessary)

FEB 1 4 2006 W

			U. S. PATENT D	OCUMENTS	
ammer tials*	Cite No.1	Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where
uais*		Number-Kind Code <sup>2 (if known)</sup>	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear
JL		3,642,004	02-15-1972	Osthagen et al.	
		3,750,194	08-07-1973	Summers	
		3,812,841	05-28-1974	Isaacson	
		3,926,175	12-16-1975	Allen et al.	
		3,939,821	02-24-1976	Roth	•
		3,952,726	04-27-1976	Hennig et al.	
		3,991,743	11-16-1976	Bucalo	
	l	4,024,855	05-24-1977 .	Bocalo	
		4,053,952	10-18-1977	Goldstein	
		4,154,226	05-15-1979	Hennig et al.	
		4,154,226	05-15-1979	Hennig et al.	
		4,209,010	06-24-1980	Ward et al.	
		4,258,705	03-31-1981	Sorensen et al.	
		4,595,390	06-17-1986	Hakim et al.	
		4,652,257	03-24-1987	Chang	
	1	4,773,393	09-27-1998	Haber et al.	
		4,786,276	11-22-1988	Haber	
		4,803,075	02-07-1989	Wallace et al.	
		4,832,680	05-23-1989	Haber et al.	
		4,865,588	09-12-1989	Flinchbaugh	
		4,969,474	11-13-1990	Schwarz	
		4,994,019	02-19-1991	Fernandez et al.	
	I	5,004,454	04-02-1991	Beyar et al.	
		5,007,940	04-16-1991	Berg	
		5,041,092	08-20-1991	Barwick	
		5,099,013	03-24-1992	Balazs et al.	
JL	T	5,140,999	08-25-1992	Ardito	

Examiner	/John Lacyk/	Date	05/29/2006
Signature	/oom nacyk/	Considered	03/29/2008

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicants. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicants are to place a check mark here if English language

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce. P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## INFORMATION DISCLOSURE STATEMENT BY APPLICANTS

(Use as many sheets as necessary)

Application Number	10/804,604	
Filing Date	March 18, 2004	
First Named Inventor	Paul L. Miller	
Art Unit	3735	
Examiner Name	John P. Lacyk	
Attorney Docket Number	787/012 Cont. 2	
Confirmation Number	9549	

Page 2 of 3

JL_	5,176,618	01-05-1993	Feedman	
	5,236,410	08-17-1993	Granov et al.	<u> </u>
	5,336,263	08-09-1994	Ersek et al.	
	5,366,506	11-22-1994	Davis	
	5,451,406	09-19-1995	Lawin et al.	
	5,509,888	04-23-1996	Miller	
	5,562,598	10-08-1996	Whalen et al.	
	5,655,546	08-12-1997	Halpen	
	5,713,877	02-03-1998	Davis	
	5,755,658	05-26-1998	Wallace et al.	
	5,762,599	06-09-1998	Sohn	
	5,997,467	12-07-1999	Connolly	
	6,074,341	06-13-2000	Anderson et al.	,
	6,251,064	06-26-2001	Silverman et al.	
.II.	6,296,607	10-02-2001	Milbocker	

	FOREIGN PATENT DOCUMENTS						
	miner ` tials*	Cite No. <sup>1</sup>	Foreign Patent Document  Country Code <sup>3</sup> Number <sup>4</sup> Kind  Code <sup>5</sup> (If known)	Publication Date MM-DD- YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T <sup>©</sup>
<u> </u>	JL		DE 27 17 607	10-26-1978	Hennig Gerhard DR		
			DE 30 11 742	10-01-1981	Siemens AG		X
			DE 31 39 811	04-21-1983	Hennig Gerhard Prof DR ING; Grueneberger Andreas DR		
			WO 93/19702	10-14-1993	Uroplasty, Inc.		
			WO 98/44965	10-15-1998	Giltech Limited		
			WO 00/54835	09-21-2000	Stereotaxis, Inc.		
	JI.		WO 01/47431	07-05-2001	Surgical Development AG		

- 1	Examiner	/John Lacyk/	Date	05/29/2006
	Signature	,	Considered	03/23/2000

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicants. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicants are to place a check mark here if English language

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## INFORMATION DISCLOSURE STATEMENT BY APPLICANTS

(Use as many sheets as necessary)

Application Number	10/804,604
Filing Date	March 18, 2004
First Named Inventor	Paul L. Miller
Art Unit	3735
Examiner Name	John P. Lacyk
Attorney Docket Number	787/012 Cont. 2
Confirmation Number	9549

Page 3 of 3

Examiner Initials*	Cite No.1	
л I		Scott et al., "Treatment of urinary incontinence by implantable prosthetic sphincter," Urology, Vol. 1, pp. 252-259, (1973).
		Kaufman, B., "Treatment of post-prostatectomy urinary incontinence using a gel prostheses," Urology, Vol. 45, pp. 646-653, (1973).
		Alksne, J. et al., "Iron-acrylic compound for sterotaxic aneurysm thrombosis," J. Neurosurg., Vol. 47, pp. 137-141 (August 1977).
		Malizia et al., "JAMA," Vol. 251, No. 24, pp. 3277-3281 (1984).
		Gruneberger, A.D., "Entwicklung eines magnetischen Urethralverschlusses und erste klinische Erfahrungen," Urologe A, Vol. 26, pp. 106-111 (1987) (English summary).
		Gruneberger, A.D., "Klinische Erfahrungen mit einem magnetischen HarnrohrenverschluB," Geburtsch. U. Frauenheilk, Vol. 50, pp. 150-154 (1990) (English summary).
		Gruneberger, A.D., "Modifikation der Anwendung der Magnetschale des Harnrohrenverschlusses bei Rezidiv-Inkontinenz," Geburtsch. U. Frauenheilk, Vol. 51, pp. 850-852 (1991) (English summary).
JL		Gruneberger, A.D., "Entwicklung eines magnetischen Urethralverschlusses – eine tier- experimentelle Studie," Zentralbl Gynakol, Vol. 115, pp. 328-331 (1993) (English summary).

٠	Examiner	/7-b- 7/	Date	05/00/0006
1	Signature	/John Lacyk/	Considered	05/29/2006

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicants. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document; by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicants are to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the Individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.